Moser
Patterson &
Sheridan, LLP
_____ ATTORNEYS AT LAW

RECEIVED CENTRAL FAX CENTER

DEC 1 6 2004

3040 Post Oak Blvd, Suite 1500 Houston, TX 77056-6582 TEL 713.623.4844 FAX 713.623.4846

WWW MPSLLP.COM

FACSIMILE COVER SHEET

DATE:

December 16, 2004

FILE NO:

UNMC/0008

TO:

USPTO

FAX NO:

703-872-9306

PHONE NO:

COMPANY:

USPTO

FROM:

C. Hardie CEH

PAGE(S) with cover:

4

ORIGINAL TO

FOLLOW?

☐ YES 🖾 NO

PRELIMINARY AMENDMENT

TITLE:

METHODS FOR FIBROBLAST DIFFERENTIATION

U.S. SERIAL NO.:

10/658,824

FILING DATE:

SEPTEMBER 8, 2003

INVENTOR:

STEPHEN I. RENNARD

EXAMINER:

UNKNOWN

GROUP ART UNIT:

1645

CONFIRMATION NO.:

7805

CONFIDENTIALITY NOTE

The document accompanying this facsimile transmission contains information from the law firm of Moser, Patterson & Sheridan, L.L.P. which is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this fexed information is prohibited. If you have received this facsimile in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you.

325279_1.DOC

RECEIVED CENTRAL FAX CENTERLY. Dkt. UNMC/03017/0008

DEC 1 6 2004 IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

തതതതതതതതതതതതത

In re Application of:

STEPHEN I. RENNARD

Serial No.: 10/658,824

Filed: September 8, 2003

Confirmation No.: 7805

For: METHODS FOR FIBROBLAST

DIFFERENTIATION

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Group Art Unit: 1645

Examiner: Unknown

CERTIFICATE OF FACSIMILE TRANSMISSION UNDER 37 CFR 1.8

I hereby certify that this correspondence and the documents referred to as attached therein are being facsimile transmitted to the U.S. Patent and Trademark Office to the fax number (703) 872-9306 on the date below.

December 16, 2004

Date

PRELIMINARY AMENDMENT

Prior to examination, please amend the above-identified application as follows: